


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	4/13/2015		







NOTE:
REF. AGUSTA T/N: 3G6205G26551.

DART AEROSPACE	
TITLE M/R SCISSOR LOCKNUT	
DWG NO. RBW6205G26551-3G	REV 1
MAT'L	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED <i>J Gilbert</i>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	HEAT TREAT
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	FINISH
SCALE 1:2	SPEC
DATE 3/10/2015	USED ON MODEL
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	M/R SCISSOR LOCKNUT	4140 Q&T / 4142 Q&T		2
		B/O	-3	1	CASE	PLASTIC	PELICAN MICRO CASE #APP-1030	1
		B/O	-5	1	BOTTOM FOAM	Y20 BLACK	1.21 X 2.31 X 6.06 IR SPECIALTIES	3
		B/O	-7	1	LID FOAM	Y20 BLACK	.77 X 2.85 X 6.60	4

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



SECTION A-A




(-1)

M/R SCISSOR LOCKNUT

DART AEROSPACE	
TITLE M/R SCISSOR LOCKNUT	
DWG NO. RBW6205G26551-3G-1	REV 1
MAT'L 4140 Q&T / 4142 Q&T	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 3/10/2015
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



SECTION B-B

Superceded




(-5)

BOTTOM FOAM

DART AEROSPACE	
TITLE M/R SCISSOR LOCKNUT	
DWG NO. RBW6205G26551-3G-5	REV 1
MAT'L Y20 BLACK	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005	HEAT
.XX ± .01	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 1:2	DATE 3/10/2015
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
			INITIAL
			APPROVED



(-7)

LID FOAM

DART AEROSPACE	
TITLE M/R SCISSOR LOCKNUT	
DWG NO. RBW6205G26551-3G-7	REV 1
MAT'L Y20 BLACK	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005	HEAT
.XX ± .01	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 1:1	DATE 3/10/2015
SHEET 4 OF 4	